

# INDEX MAPS.

## T. 38 N., R. 6 E. 2<sup>nd</sup> Mer.

	6	5	4	3	2	1
	7	N. 8 Boundary of 10 Indiana				12
240	257	254	251	247	244	238
	258	257	253	250	247	243
240	18	256	17	253	16	250
	258	256	253	250	246	242
240	19	255	20	252	21	249
	258	255	252	249	246	242
239	30	255	29	251	28	248
	257	254	251	248	244	241
239	31	254	32	251	33	247
	236	236	236	235	235	235

Meander 259

## T. 29 N., R. 7 E. 2<sup>nd</sup> Mer.

	290	290	289	289	289	289
292	6	313	5	308	4	304
	313	312	307	303	300	296
292	7	312	8	307	9	303
	312	311	307	303	299	295
292	18	311	17	306	16	302
	311	310	306	302	299	295
292	19	310	20	306	21	302
	310	309	305	302	298	294
291	30	309	29	305	28	301
	309	308	305	301	297	293
291	31	308	32	304	33	301
	286	286	286	285	285	285

Meander 314

The figures on the lines refer to the page.

South Boundary

West On South Boundary of Sec 32. <sup>Prov. 5. 10' E</sup>  
 9. 50 A Brook 20 links wide. Course N E  
 17. 40 A Cr. 40 " " " " S E.  
 21. 40 A W. Oak 10 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a Beech 6 in. diam. bears N. 55 E 12 links dist. &  
 a Cr. 8 " " " " N 55 W 35 " "  
 60. 13 A Lym 30 " "  
 80. 00 Set a post corner to Sec. 33 + 30 from which  
 a Beech 10 in. diam. bears N 26 E 8 links dist. &  
 an Elm 15 " " " " N 31 W 17 " "  
 Land level and 2<sup>nd</sup> rate timber. Beech. Oak  
 Hickory &c.

West On South Boundary of Sec 35.  
 28. 73 A Beech 14 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a W. Oak 14 in. diam. bears N 55 E 15 links dist. &  
 a Beech 14 " " " " N 55 W 5 " "  
 57. 83 A B. Ash 36 in. diam.  
 80. 00 Set a post cor. to Sec. 34 + 35 from which  
 a Beech 25 in. diam. bears N 81 E 33 links dist. &  
 an Iron rod 6 " " " " N 67 W 31 " "  
 Land &c same as last mile.

West On South Boundary of Sec 34.  
 29. 00 A Beech 18 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a Sugar 21 in. diam. bears N. 64 W 13 links dist. &  
 a Beech 13 " " " " N 67 E 45 " "  
 53. 50 A Burr Oak 22 in. diam.  
 80. 00 Set a post cor. to Sec. 33 + 34 from which  
 a Beech 14 in. diam. bears N 2 E 13 links dist. &  
 a B. Ash 16 " " " " N 75 W 37 " "  
 Land &c same as last mile.



T 29 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

West On South Boundary of Sec. 33.  
 27.76 A Beech 24 in. diam.  
 40.00 Set a g. &c. post from which  
 an O. Oak 18 in. diam. bears N. 8 E. 14 links dist &  
 a Beech 10 " " " N 75 W 31 " "  
 53.90 A Beech 18 " "  
 80.00 Set a Post Corner to Sec. 32 & 33 from which  
 a Beech 18 in. diam. bears N 11 W 17 links dist &  
 a Do 15 " " " N 37 E 38 " "  
 Land & Timber as before.

West On South Boundary of Sec. 33.  
 33.85 A W Oak 18 in. diam.  
 40.00 Set a g. &c. post from which  
 a Burr Oak 30 in. diam. bears N 78 W 18 lks dist &  
 a Buckeye 7 " " " N 37 E 19 " "  
 60.14 A Burr Oak 17 " "  
 80.00 Set a Post Cor. to Sec. 31 & 32 from which  
 a Maple 14 in. diam. bears N 5 W 10 links dist &  
 a Sycamore 20 " " " N 43 E 28 " "  
 Land & Timber same.

West On South Boundary of Sec. 31.  
 29.57 A W Oak 20 in. diam.  
 40.00 Set a g. &c. post from which  
 a Cherry 6 in. diam. bears N 42 E 22 lks. dist &  
 an E. Ash 10 " " " N 42 W 19 " "  
 56.33 A Sycamore 36 in. diam.  
 64.13 Intersect West Boundary at Post Corner to  
 Towns 28 & 29 North. Ranges 6 & 7 East. Sec.  
 1. 6. 31 & 36. from which  
 a B. Oak 40 in. diam. bears N. 55 E. 10 links dist &  
 a Beech 5 " " " N. 55 W 19 " "  
 Land level & 2<sup>nd</sup> rate. Timber. Beech.  
 Hickory & Oak. Undergr. Ironwood & Sugar.  
 Nov. 13<sup>th</sup> 18

East Boundary

North On East Boundary of Sec. 36. Par. 6. 10' 0.  
 3. 26 A Brook 10 links wide Course East  
 6. 50 A Do 18 " " " N.E.  
 20 40 " Do 20 " " " S.E.  
 23. 40 " Do 18 " " " N.E.  
 31. 06 A Sugar 18 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a Beech 6 in. diam. bears S 30 W 12 links dist. &  
 a Do 7 " " " N 19 W 45 " "  
 61. 49 A Beech 15 in. diam.  
 80. 00 Set a post Corner to Sec. 25 & 36. from which  
 a Beech 10 in. diam. bears S 32 W 41 links dist. &  
 a Do 18 " " " N 55 W 13 " "  
 Land not described.

North On East Boundary of Sec. 25.  
 26. 22 A Beech 20 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 an Ironwood 6 in. diam. bears S 13 W 22 links dist. &  
 a Beech 16 " " " N 20 W 27 " "  
 69. 77 An S. Ash 10 " "  
 80 00 Set a Post Corner to Sec. 24 & 25. from which  
 a Beech - in. diam. bears S 20 W 31 links dist. &  
 a Do 8 " " " N 37 W 27 " "  
 Land not described.

North On East Boundary of Sec. 24  
 23. 33 A Elm 30 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 an Elm 8 in. diam. bears S 12 W 7 links dist. &  
 a Beech 15 " " " N 57 W 4 " "  
 43. 00 Enter fallen Timber  
 46. 40 A Stream 30 links wide. Course S. W.  
 55 00 Left fallen Timber  
 55 73 A Sugar 24 in. diam.

## T 29 N. R. 7. E. 2nd Mer. Indiana.

80.00 Set a post Cor. to Sec. 13 & 24 from which  
 a Beech 9 in. diam. bears S 56° W 35 links dist &  
 a Do 9 " " " N 27° W 23 " "  
 Land not described.

North On East Boundary of Sec 13

25.72 A Hickory 16 in. diam.

40.00 Set a g. Sec post from which  
 a Beech 12 in. diam. bears S 60° W 32 links dist &  
 a Do 16 " " " N 88° W 32 " "

66.72 A Hickory 15 in. diam.

80.00 Set a Post Cor. to Sec. 12 & 13 from which  
 a Beech 10 in. diam. bears S 5° W 45 links dist &  
 a Do 8 " " " N 65° W 7 " "  
 Land not described.

North On East Boundary of Sec 12.

26.78 An S Ash 14 in. diam.

40.00 Set a g. Sec post from which  
 a Beech 18 in. diam. bears S 6° W 46 links dist &  
 a Do. 8 " " " N 44° W 29 " "

63.96 A Brook 10 links wide Course S. W.

66.05 A Sugar 24 in. diam.

80.00 Set a Post Cor. to Sec. 1 & 12 from which  
 a W Oak 24 in. diam. bears S 36° W 29 links dist &  
 a Blue Ash 10 " " " N 84° W 20 " "  
 Land not described.

North On East Boundary of Sec 1.

20.38 An Elm 16 in. diam.

40.00 Set a g. Sec post from which  
 a Sugar 21 in. diam. bears S 12° W 15 links dist &  
 a Do 10 " " " N 12° W 31 " "

61.74 A Beech 18 " "

80.00 Set a Temp. post Cor. to T. 29 & 30. N. R. 7 & 8 E.  
 Land not described. Nov. 12<sup>th</sup> 18



North Boundary

- West On South Boundary of Sec 36. T 30 N. R. 7 E.  
 33. 33 S. Ash 6 in. diam.  
 40. 00 Set a gr. Sec post from which  
 a Beech 8 in. diam. bears N 73 E 38 links dist 8  
 a Cr. 10 " " " N 37 W 37 " "  
 66. 40 A Y. Oak 18 in. diam.  
 80. 00 Set a Post Cor. to Sec. 35 & 36 from which  
 a Beech 20 in. diam. bears S 20 E 20 links dist 8  
 a B. Waln. ~~227~~ " " " N 70 W 5 " "  
 No Description of Land

- West On South Boundary of Sec 35. T 30 N. R. 7 E.  
 25. 16 A Beech 12 in. diam.  
 40. 00 Set a gr. Sec post from which  
 a Cherry 4 in. diam. bears N 81 E 41 lks dist 8  
 a B. Ash 18 " " " N 54 W 26 " "  
 54. 25 A Beech 15 " "  
 80. 00 Set a Post Cor. to Sec. 34 & 35 from which  
 a Cottonwood 6 in. diam. bears East 1 link dist 8  
 an Elm 5 " " " N 54 W 13 " "  
 Land not described

- West On South Boundary of Sec 34. T 30 N. R. 7 E.  
 22. 35 A Beech 14 in. diam.  
 40. 00 Set a gr. Sec post. from which  
 a Poplar 10 in. diam. bears N 78 E 38 links dist 8  
 a Sugar 15 " " " N 71 W 4 " "  
 65. 12 S. Ash 20 in. diam.  
 80. 00 Set a Post Cor. to Sec. 33 & 34 from which  
 a W. Oak 36 in. diam. bears N 63 E 19 lks. dist 8  
 an Ironwood 5 " " " N 79 W 27 " "  
 Land not described.

- West On South Boundary of Sec 33. T 30 N. R. 7 E.  
 18. 05 A Burr Oak 5 in. diam.

## T. 29. N. R. 7. E. 2nd Mer. Indiana.

- 40.00 Set a q. Sec. post from which  
 a W. Oak 18 in. diam. bears N 75 E 22 links dist. &  
 a Do 40 " " " N 28 W 31 " "
- 56.57 A Buck 12 " "
- 80.00 Set a Post Cor. to Sec. 32 & 33 from which  
 an Elm 6 in. diam. bears N 23 E 13 lks. dist. &  
 an R. Oak 48 " " " N 84 W 24 " "
- Land not described

- West On South Boundary of Sec 32. T 30 N. R 7 E.  
 2. 44 Set a Post on the Bank of Eel River from which  
 an Ironwood 6 in. diam. bears N 40 E 3 links dist. &  
 a B. Walnut 5 " " " S 6 E 4 " "
- Nov 20th Surveyed by  
 David Willis D.S.

Began at a post on Left Bank of Eel River which  
 is two chains & 44 links from the corner of Sec. 32  
 and 33 T. 30 N. R. 7 E. Thence

- West On South Boundary of Sec 32. Var. 5. 15 E  
 5. 81 Across Eel River. Set Post on the Right Bank from  
 which a Buckeye 7 in. diam. bears S 12 W 19 links dist. &  
 a B. Walnut 5 " " " N 19 E 55 " "
- 29 55 A White Oak 20 " "
- 40.00 Set a q. Sec. post from which  
 a White Oak 14 in. diam. bears N 29 E 35 lks. dist. &  
 a Do 28 " " " N 82 W 51 " "
- 68.27 A White Oak 18 " "
- 80 00 Set a Post Cor. to Sec. 31 & 32 from which  
 a W. Oak 10 in. diam. bears N 63 E 41 links dist. &  
 a Do 13 " " " N 14 W 37 " "
- Land level & 1<sup>st</sup> rate. Timber mostly Oak.  
 Underg<sup>th</sup> Hazel, Briers & Grape Vines.

- West On South Bound<sup>y</sup> of Sec 31. T 30 N. R 7 E  
 11. 50 Enter Marsh  
 21 00 Left same.



291

T 29 N. R 7 E 2<sup>nd</sup> Mer. Indiana

24. 11 A W. Oak 10 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a W. Oak 12 in. diam. bears N 73 $\frac{1}{2}$  E 82 links dist &  
 a Do 14 " " " N 1 W 35 " "  
 53. 40 A White Oak 34 in. diam.  
 62. 83 Intersect Range line 50 links North of Temp. Post  
 Set a Post from which  
 a W. Oak 42 in. diam. bears N 23 E 42 links dist &  
 a Do 13 " " " S 52 W 24 " "  
 Land & Timber, much as before.

Surveyed by  
 Sylvester Lilly, D.S.

- West Boundary var. 6 $\frac{1}{2}$  to E
- North On East Boundary of Sec 36 T 29 N. R 6 E.  
 35. 47 A B. Ash 24 in. diam.  
 40. 00 Set a q. Sec. post from which  
 an Elm 8 in. diam. bears S 18 W 13 links dist &  
 a Do 16 " " " N 28 W 36 " "  
 67. 91 A Buckeye 13 in. diam.  
 80. 00 Set a Post Cor. to Sec. 25 & 30 from which  
 a Beech 7 in. diam. bears S 43 W 21 links dist &  
 a Do 3 " " " N 26 W 34 " "  
 Land not described.

- North On East Boundary of Sec 25 T 29 N. R 6 E.  
 31. 56 A B. Ash 18 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a Beech 7 in. diam. bears S 25 W 25 lks. dist &  
 a Do 6 " " " N 71 W 16 " "  
 62. 81 A Burr Oak 42 in. diam.  
 80. 00 Set a Post Corner to Sec. 24 & 25 from which  
 a Beech 11 in. diam. bears S. 12 W. 36 links dist &  
 a Do 10 " " " N. 52 W. 30 " "  
 Land not described

T 29. N. R. 7 E 3<sup>rd</sup> Mer. Indiana

North On East Boundary of Sec 24. T 29. N. R. 6 E.  
33. 33 A Buck 18 in. diam.

40. 00 Set a gr. Sec. post from which  
an Elm 9 in. diam. bears S 20° W 26 links dist &  
a Poplar 9 " " " N 67° W 5 " "

58. 77 A W. Ash 15 in. diam.

80. 00 Set a Post Cor. to Sec. 13 & 24 from which  
a Lymn 10 in. diam. bears S 5° W 34 links dist &  
a Buck 12 " " " N 20° W 40 " "

Land not described

North On East Boundary of Sec 13 T 29. N. R. 6 E.  
24. 06 A W. Oak 45 in. diam.

40. 00 Set a gr. Sec. post from which  
a Buck 17 in. diam. bears S. 5° W. 37 links dist &  
a Do 12 " " " N. 45° W. 54 " "

61. 33 A W. Oak 24 " "

80. 00 Set a Post Cor. to Sec. 12 & 13 from which  
a S. Ash 16 in. diam. bears S. 45° W. 6 links dist &  
a Do 16 " " " N. 64° W. 40 " "

Land not described.

North On East. Boundary of Sec. 12. T 29. N. R. 6 E.  
10. 07 To Swamp.

21. 07 Left same

40. 00 Set a gr. Sec. post. from which  
a Blue Ash 8 in. diam. bears S 70° W. 23 lks. dist &  
a Do. " 4 " " " N 31° W 56 " "

60 84 An Elm 23. " "

80. 00 Set a Post Cor. to Sec. 1 & 12 from which  
an S. Ash 7 in. diam. bears N. 84° W. 19 lks. dist &  
a Do 4 " " " N. 20° W. 50 " "

Land &c not described.

North On East Boundary of Sec 1. T 29. N. R. 6 E.  
25 16 Set a Post in the Eft Bank of Elk River Cor. to

293

T. 29. N. R. 7. E. 2<sup>nd</sup> Mer. Indiana.

Sec. 1. from which  
 a Lymn 6 in. diam. bears N. 85 W. 5 links dist. &  
 a Jack Oak 12 " " " N. 78 E. 7 " "  
 Land level & 2<sup>nd</sup> rate. Timber Buck &c.

David Hillis, L. S.

On 6.30 E. from post standing 25.16 lks. N. of Cor. to Sec. 1 of 12

28.20 Set post on right bank of Ell River from which  
 a Buckeye 4 in. diam. bears N 29 E 10 lks. dist. &  
 a Do. 4 " " " N 51 W 46 " "

40.00 Set q. Sec. post from which  
 an Elm 4 in. diam. bears N 72 W 4 lks. dist. &  
 a Buckeye 5 " " " N 27 W 11 " "

68.90 a Wash 9 " "

80.00 Set temp. Town Corner

Land rolling 2<sup>nd</sup> rate, timber Oak, Ash, Lymn,  
 Buckeye &c. Sylvester Sibley L. S.

### Subdivisions

North Between Sec. 35 & 36?

1. 00 A Lymn 22 in. diam.

40. 11 Set a q. Sec post from which  
 an Elm 8 in. diam. bears N. 10 W. 19 links dist. &  
 an Ash 17 " " " S 81 W 40 " "

80. 00 Set a Post Cor. to Sec. 25 20? 35 & 36? from which  
 a Buck 11 in. diam. bears N. 11 E. 22 links dist. &  
 a Do 18 " " " S 55 W 28 " "  
 Land level & 2<sup>nd</sup> rate. Timber. Buck. Sugar. &c.  
 Underg. Spruce. Ironwood. Dogwood. &c.

East On Ransom between Sec. 25 & 36?

40. 00 Set a Temp? q. Sec post

80. 00 Intersect N. & E line at Post.

West Corrected between Sec. 25 & 36?

40. 00 Set a q. Sec post from which  
 a Buck 12 in. diam. bears S 57 E. 14 lks. dist. &





# 295

## T 29 N. R 7 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 8 in. diam. bears S 9 E. 12 links dist.  
Land 2<sup>nd</sup> rate, Timber as before.

East On a Random between Sec. 13 & 24.  
33. 27 A Brook 12 links wide. Course S E.  
40. 00 Set a Temp. q. Sec post.  
41. 82 A Branch 25 links wide. Course N W.  
80 54 Intersect E. Boundary 97 links South of the Post  
Land level & 2<sup>nd</sup> rate. Timber. Beech. Ash. Oak.  
Hickory. Sugar. &c.

West Corrected between Sec. 13 & 24.  
40. 27 Set a q. Sec post at aver. dist. from which  
a Hickory 8 in. diam. bears S W. 19 links dist. &  
a Beech 18 " " " N 47 W 19 " "  
80 54 To Sec. Corner.

North Between Sec. 13 & 14.  
18. 11 An R. Oak 20 in. diam.  
40. 00 Set a q. Sec. post from which  
a Beech 20 in. diam. bears N. 67 W. 3 links dist. &  
a B. Ash 4 " " " S. 59 E. 4 " "  
46. 50 An Ash 24 " "  
55. 50 A Brook 25 links wide. Course N. W.  
63. 80 A Dr 7 " " " S W.  
80. 00 Set a Post Cor. to Sec. 11. 12. 13. & 14 from which  
an R. Oak 20 in. diam. bears S. 15 W. 10 links dist. &  
a W. Oak 24 " " " N 86 E 11 " "  
Land level and 2<sup>nd</sup> rate.  
The Main Creek on this line proceeds from the  
Swamp in the adjacent Township East. Swamp Creek.

East On Random between Sec. 12 & 13.  
40. 00 Set a Temp. q. Sec post  
80. 05 Intersect E. Boundary 26 links S. of the Post.  
Land Rolling, & good 2<sup>nd</sup> rate. Timber. Beech.



T. 29. N. R. 7. E. 2<sup>nd</sup> Mer. Indiana.

Sugar, Ash, Elm, Lymn. &c. Underg<sup>th</sup> Spice  
Sugar &c.

Note Corrected between Sec. 12 & 13

40. 02 p Set a q. Sec post at aver. dist. from which  
a Buck 7 in. diam. bears S 20 W 23 links dist. &  
a W. Oak 20 " " " N. 45 E 33 " "  
80 057 To Sec. Corner.

North Between Sec. 11 & 12

37. 50 A Wet weather Brook 6 links wide. Course W.

40. 00 Set a q. Sec post from which  
a Sugar 20 in. diam. bears N 14 W 14 links dist. &  
a Do 20 " " " S 35 E 13 " "

52. 00 A Hickory 20 in. diam.

80. 00 Set a Post Cor to Sec. 1. 2. 11. & 12. from which  
an Ash 10 in. diam. bears N 82 W 14 links dist. &  
a Buck 9 " " " S 22 W 30 " "

Land somewhat rolling & 2<sup>nd</sup> rate. Timber. Buck,  
Sugar, Ash, Oak, Elm, &c. Underg<sup>th</sup> Spice.  
Pawpaw & Dogwood.

East On Random between Sec. 1 & 12 May 27<sup>th</sup> 1828.

40. 00 Set a Temp<sup>o</sup> q. Sec post

80. 37 Intersect N & S line or E. Boundary 21 links  
South of the Post

Land level & 2<sup>nd</sup> rate Timber as before  
Underbrush very close

Note Corrected between Sec. 1 & 12

40. 18 Set a q. Sec post at aver. dist. from which  
an Ash 6 in. diam. bears S 45 E 19 links dist. &  
a Do 10 " " " N 13 E 12 " "

80 37 To Sec. Corner.

North Between Sec. 1 & 2.

T 29 N. R. 7 E 2<sup>nd</sup> Mer. Indiana. 297

- 3.25 An Ironwood 11 in. diam.  
 12.00 A Brook 6 links wide. Course West  
 40.00 Set a g. See post from which  
 a Sycamore 30 in. diam. bears S 13 E. 23 links dist. &  
 a Buck 16 " " " " N 46 W 18 " "  
 22.04 A Buck 19 " "  
 50.50 Intersect North Boundary at Post  
 Land level & 2<sup>nd</sup> rate. Timber. Buck. Oak. Ash.  
 Hickory. Sugar. &c.

North Between Sec. 34 & 35.

- 15.00 A Buck 20 in. diam.  
 15.50 A Brook 8 links wide. Course N. W.  
 40.00 Set a g. See post from which  
 a Buck 10 in. diam. bears N 28 W 19 links dist. &  
 a D 8 " " " " S 85 W 10 " "  
 59.84 A W. Oak 30 in. diam.  
 80.00 Set a Post Cor. to Sec. 26. 27. 34 & 35. from which  
 a Buck 8 in. diam. bears S 65 W. 9 links dist. &  
 a D 4 " " " " N. 44 E. 10 " "  
 Land level & 2<sup>nd</sup> rate. Timber. Oak. Ash. Hickory.  
 Sugar, &c. Underg<sup>st</sup>. Spice. Ironwood. &c.

East On a Randon between Sec. 26 & 35

- 17.50 A Brook 12 links wide Course N. E.  
 40.00 Set a Temp. g. See post  
 80.50 Intersect N & S line 65 links North of the Post  
 Land level & 2<sup>nd</sup> rate. Timber as before.  
 May 26<sup>th</sup> 1828.

West Corrected between Sec. 26 & 35

- 40.25 Set a g. See post at aver. dist. from which  
 a Hickory 12 in. diam. bears S 73 W 5 links dist. &  
 a Buck 6 " " " " S 34 E 3 " "  
 80.50 To the Corner.

## T 29 S. R 7 E. 2nd Mer. Indiana.

North Between Secs 26 &amp; 27

19 50 An Ash 30 in. diam.

36. 00 A Brook 12 links wide. Course N. W.

40. 00 Set a q. Sec post from which  
a Beech 6 in. diam. bears N 5 W 21 links dist &  
an Ironwood 11 in. " " N 89 W 13 " "

62. 30 An No. Oak 40 in. diam.

80. 00 Set a Post Cor. to Secs 22. 23. 26 & 27 from which  
a Beech 10 in. diam. bears S 50 E 9 links dist &  
a G 4 " " " N 5 E 22 " "  
Land Rolling & 2nd rate

East On Random between Secs 23 &amp; 26

40. 00 Set a Vimp. q. Sec post.

56. 00 A Brook 10 link wide Course N. E.

80. 63 Intersect the N & S line 52 links North of Post.  
Land level & 2nd rate. Timber as before.

West Corrected between Secs 23 &amp; 26

40 57 Set a q. Sec post at aver. dist. from which  
an Elm 24 in. diam. bears S. 40 W. 10 links dist &  
a G 12 " " " N. 70 W. 8 " "

80. 63 To Sec. Corner.

North Between Secs 22 &amp; 23

18 50 A Beech 20 in. diam.

40 00 Set a q. Sec post from which  
a Beech 6 in. diam. bears S. 63 W. 14 links dist &  
an Elm 8 " " " S. 87 E. 14 " "

68. 10 A Lynn 30 " "

75 50 A Brook 8 links wide. Course N. W.

80 00 Set a Post Cor. to Secs 14. 15. 22 & 23 from which  
a Beech 20 in. diam. bears S 47 W 22 links dist &  
a G 6 " " " N. 48 W. 6 " "Land Rolling & 2nd rate Timber. Beech. Oak.  
Ash. Hickory. Sugar. Lynn.

# T 29 N. R. 7 E. 2nd Mer. Indiana.

299

East On Random between Sec. 14 & 23  
 22.50 A Brook 8 links wide. Course N E  
 40.00 Set a Temp<sup>o</sup> of Sec. post  
 79.80 A Brook 8 links wide. Course N E.  
 80 20 Intersect N & S line 52 links North of the Post.  
 Land Rolling & 2<sup>nd</sup> rate.

West Corrected between Sec. 14 & 23  
 40 10 Set a q. the post at aver. dist. from which  
 a Buck 8 in. diam. bears S 57 E 17 links dist. &  
 a Do " " " " N 15 W 17 " "  
 80 20 To Sec. Corner.

North Between Sec. 14 & 15.  
 30-30 A Stream 30 links wide. Course S W.  
 40 00 Set a q. Sec post from which  
 a Buck 36 in. diam. bears N 70 W 23 links dist. &  
 a Buckeye 10 " " " " S 32 E 29 " "  
 47.50 A Brook 8 links wide. Course S W.  
 74.40 A W Oak 36 in. diam.  
 80.00 Set a Post Corner to Sec. 10. 11. 14 & 15 from which  
 an Ash 4 in. diam. bears N 32 E 23 links dist. &  
 a Buck 4 " " " " S 65 E 19 " "  
 Land Rolling & 1<sup>st</sup> & 2<sup>nd</sup> rate. Last 1<sup>st</sup> rate.  
 Timber. Hackberry Buckeye. Buck. Ash. Oak. &c.  
 Underg<sup>th</sup> Spice. Pawpaw &c.

East On Random between Sec. 11 & 14  
 40.00 Set a Temp<sup>o</sup> of Sec. post.  
 81.00 Intersect N & S line 300 links North of Post.  
 Land level & 2<sup>nd</sup> rate Timber as before.

West Corrected between Sec. 11 & 14  
 40 50 Set a q. the post at aver. dist. from which  
 a Sugar 12 in. diam. bears S 40 E 15 links dist. &  
 an Ironwood 8 " " " " N 22 W 14 " "



T 29 N. R. 7. E. 2<sup>nd</sup> Mer. Indiana.

81.00 To Sec. Corner,

North Between Secs 10 &amp; 11.

13.50 A Maple 20 in. diam.

110.00 Set a g. Sec post from which  
a Buckeye 10 in. diam. bears S 31 W 14 links dist. &  
an R. Oak 4 " " " S. 78 E 6 " "

60.60 An Ash 20 " "

80.00 Set a Post Cor. to Sec. 2. 3. 10 & 11. from which  
a Maple 12 in. diam. bears N. 76 W 32 lks. dist. &  
an R. Oak 4 " " " N. 10 W. 25 " "  
Land level wet & swampy.East On Random between Secs 2 & 11 May 27<sup>th</sup> 1828.

26.15 A Bush 8 links wide Course S W.

40.00 Set a Temp<sup>o</sup> g. Sec. post.80.38 Intersect N. & S line 1.10 links North of the Post.  
Land somewhat rolling & good 2<sup>nd</sup> rate. Timber.  
Buckeye. Walnut. Gyn. Ash. Oak. Hickory &c.

West Corrected between Secs 2 &amp; 11.

40.19 Set a g. Sec post at aver. dist. from which  
an Ironwood 10 in. diam. bears S 59 E 30 lks dist. &  
a Buck 10 " " " N 29 E 5 " "

80.38 To Sec Corner.

North Between Secs 2 &amp; 3

29.00 An Ash 20 in. diam.

110.00 Set a g. Sec post in edge of Swamp. from which  
an Elm 10 in. diam. bears N. 8 E 9 links dist. &  
a Do 6 " " " S. 20 W 7 " "

45.00 A Buck 20 in. diam.

78.14 Intersect the North Boundary 1.04 links West  
of the Post. Set a Post Cor. to Secs 2 & 3 from which  
a Willow 8 in. diam. bears S. 73 E 11 links dist. &  
a Do 6 " " " S. 11 W 15 " "



T. 29 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana. 301

North Between Secs. 33 & 34.

5. 50 A W. Oak 24 in. diam.

40. 00 Set a q. Sec. post from which  
a Beech 10 in. diam. bears S 32 W 18 links dist. &  
a Do 24 " " " N 78 W 23 " "

66. 36 A Sugar 20 in. diam.

69. 00 A Birch 7 links wide. Course N. W.

80. 07 Set a Post Cor. to Secs. 27, 28, 33 & 34 from which  
a Beech 6 in. diam. bears S 80 E 77 links dist. &  
a Do 5 " " " N. 26 W. 18 " "

Land 1<sup>st</sup> & 2<sup>nd</sup> mile. level. Last 1/2 rolling. Soil 2<sup>nd</sup> rate  
Timber. Beech. Oak. Ash. Hickory. Sugar. &c.  
Underg<sup>th</sup>. Spice. Beech. Sugar. Dogwood. &c.

East On Ransom between Secs. 27 & 34

40. 00 Set a Temp. q. Sec. post.

80. 45 Intersect N & S line 33 links South of the Post.

Land level & 2<sup>nd</sup> rate. Timber similar to the last.

West Corrected between Secs. 27 & 34.

40. 23 Set a q. Sec. post at aver. dist. from which  
a Beech 7 in. diam. bears S 15 W 12 links dist. and  
a Do 18 " " " N 74 W 20 " "

80. 45 To Sec. Corner.

North Between Secs. 27 & 28

18. 40 A Stream 12 links wide. Course West.

26. 04 A Beech 10 in. diam.

40. 00 Set a q. Sec. post from which  
a Beech 6 in. diam. bears N 26 E 4 links dist. &  
a Do 6 " " " S 52 E 20 " "

42. 70 A Sugar 30 " "

80. 00 Set a Post Cor. to Secs. 21, 22, 27 & 28 from which  
a Hickory 20 in. diam. bears S 63 W 5 links dist. &  
a Beech 10 " " " N 28 W 28. " "

Land 2<sup>nd</sup> rate.

## T. T. A. R. &amp; E. 3rd Mer. Indiana.

East On Random between Sec. 22 & 27.

40 00 Set a Temp. q. Sec. post

80 75 Intersect the N. & S. line 50 links E. of the Post.  
Land level & 2nd rate. May 28<sup>th</sup> 1828.

West Connected between Sec. 22 & 27.

40 37 1/2 Set a q. Sec. post at av. dist. from which

a W. Oak 36 in. diam. bears N. 53 E. 17 links dist. &  
a Sugar 20 " " " " N. 63 W. 12 " "

80. 75 To the Corner.

North Between Sec. 21 & 22.

15. 75 A Beech 15 in. diam.

40. 00 Set a q. Sec. post from which

an Ash 5 in. diam. bears N. 33 W. 27 links dist. &  
a Sycamore - " " " " N. 8 W. 30 " "

60. 92 An Elm 24 in. diam.

80. 00 Set a Post Corner to Sec. 15. 16. 21 & 22 from which  
a Sugar 20 in. diam. bears S. 0 E. 18 links dist. and  
a Beech 0 " " " " N. 87 W. 9 " "

Land level and net.

East On Random between Sec. 15 & 22.

40. 00 Set a Temp. q. Sec. post.

80. 72 Intersect the N. & S. line at Post.

Land level. 1<sup>st</sup> mile net. last 1/2 appropriate timber  
as before.

West Connected between Sec. 15 & 22.

40 36 Set a q. Sec. post at av. dist. from which

a Beech 14 in. diam. bears N. 52 E. 18 links dist. &  
a Do 6 " " " " S. 52 W. 30 " "

80. 72 To the Corner.

North Between Sec. 15 & 16.

20. 30 A Beech 16 in. diam.

303

T 29. N. R. 7. E. 2<sup>nd</sup> Mer. Indiana.

- 40.00 Set a q. Sec. post from which  
an Elm 18 in. diam. bears N. 68 E. 20 links dist. &  
a W. Oak 12 " " " S. 28 W. 22 " "
- 41.40 A Mt. Weather snail 10 links wide. Course N. E.
- 61.39 A Buck 18 in. diam.
- 80.00 Set a Post Cor. to Sec. 9. 10. 15 H.C. from which  
a Buck 20 in. diam. bears N. 73 E. 9 links dist. &  
an Ironwood 8 " " " S. 60 W. 23 " "
- Land, 1<sup>st</sup> 1/2 mile Mt. East & rolling 2<sup>nd</sup> rate. Timber.  
Buck. Ash. Oak. Sugar. & pine. &c.

East On Random between Sec. 10 & 15.

- 10.00 Swamp Creek 30 links wide. Course N. W.
- 40.00 Set a Temp. q. Sec. post.
- 80.80 Intersect N. & S. line 146 links North of the Post.  
Land Rolling & 2<sup>nd</sup> rate.

West Connected between Sec. 10 & 15.

- 40.40 Set a q. Sec. post at aver. dist. from which  
a Buck 22 in. diam. bears N. 67 E. 14 links dist. &  
a Buckeye 11 " " " S. 13 E. 19 " "
- 80.80 To Sec. Corner

North Between Sec. 9 & 10.

- 10.10 Swamp Creek 33 links wide. Course N. W.
- 25.03 A Buck 18 in. diam. bears
- 40.00 Set a q. Sec. post from which  
an Ash 18 in. diam. bears N. 61 E. 18 links dist. and  
a Buckeye 5 " " " S. 19 W. 12 " "
- 57.30 An Ash 12 in. diam.
- 80.00 Set a Post Cor. to Sec. 3. 4. 9. 10 from which  
an Ash 22 in. diam. bears N. 35 W. 31 links dist. &  
a Buck 20 " " " S. 76 E. 30 " "
- Good 2<sup>nd</sup> rate Land.

East On Random between Sec. 3 & 10.



T 29 N. R 7 E 1<sup>st</sup> Mer. Indiana.

25. 00 A Brook 6 links wide. Course N.E.  
 40. 00 Set a Temp. g. Sec. post.  
 80. 55 Intersect the N. & S. line 11 links S. of the Post.  
 Land good Granite. especially the top mile.  
 Timber. Beech. Oak. Ash. Hickory. Sugar. Elm.  
 Walnut. Poplar. &c. Underg<sup>th</sup>. Spruce. Sugar. &c.

North Connected between Secs. 3 & 10

40. 27 1/2 Set a g. Sec. post at aver. dists from which  
 an Ash 10 in. diam. bears S. 64 E. 11 links dist and  
 a Buck 12 " " " N 9 E 33 " "  
 80. 55 To the Corner.

North Between Secs. 3 & 4.

9. 36 A Sugar 20 in. diam.  
 40. 00 Set a g. Sec. post from which  
 an Ash 12 in. diam. bears N. 83 E. 9 links dist &  
 an Elm 10 " " " North 21 " "  
 78. 74 Intersected the North Boundary 1.78 links West of  
 the Post where set a Post Cor. to Secs. 3 & 4 from which  
 a W. Oak 22 in. diam. bears S. 17 E. 20 links dist and  
 a Sugar 12 " " " S 70 E 28 " "  
 Land Rolling and good Granite  
 At this Corner there appears to have been an Ancient  
 Indian Village of considerable extent. Timber  
 remaining is mostly Oak. There is perhaps 60 or  
 70 Acres entirely clear & seems to have been culti-  
 vated. A small distance S.W. from the Corner.

North Between Secs. 32 & 33.

20. 38 An Elm 24 in. diam.  
 40. 00 Set a g. Sec. post from which  
 an Ironwood 5 in. diam. bears S. 10 E. 10 links dist &  
 an Ash 4 " " " S 70 E 10 " "  
 53. 50 A W. Oak 30 in. diam.  
 68. 50 A Brook 8 links wide. Course N.W.

T. 29. N. R. 7. E. 2<sup>nd</sup> Mer. Indiana.

305

80. 00 Set a Post Corner to Sec. 28. 29. 32 & 33. from which  
a Birch 14 in. diam. bears S 55 W 3 links dist, and  
an Ironwood 4 in. diam. bears S. 70 E. 18 lks.  
Land 1<sup>st</sup>  $\frac{1}{2}$  mile good 2<sup>nd</sup> rate. Last  $\frac{1}{2}$  swampy.

Quadr On Random between Sec. 28 & 33

40. 00 Set a Simp. q. Sec. post

45. 00 A Brook 6 links wide. Course N. W.

80. 30 Intersect the N & S. line 90 links North of the Post.  
Land level & 2<sup>nd</sup> rate. Timber as before.

West Corrected between Sec. 28 & 33.

40 15 Set a q. Sec. post at aver. dist, from which  
an Elm 12 in. diam. bears S 14 W 12 links dist, &  
a Birch 14 " " N 45 W 26 " "

80 30 To the Corner.

North Between Sec. 28 & 29.

13. 90 A Birch 18 in. diam.

18. 00 A Brook 12 links wide. Course S W.

40 00 Set a q. Sec. post from which  
an Ironwood 4 in. diam. bears N. 34 W. 8 lks dist, &  
a Buckeye 8 " " S. 74 E. 6 " "

42. 50 An El Oak 50 " "

80 00 Set a Post Cor. to Sec. 20. 21. 28 & 29 from which  
a Hickory 5 in. diam. bears S. 75 W. 14 links dist, &  
an Ash 10 " " North 4 " "  
Land on the 1<sup>st</sup>  $\frac{1}{2}$  mile level 2<sup>nd</sup> rate. Last  $\frac{1}{2}$  met  
and swampy.

East On Random between Sec. 21 & 28.

40. 00 Set a Simp. q. Sec. post.

68. 50 A Brook 10 links wide. Course S W.

80 00 Intersect the N & S. line 75 links N of the Post.  
Land on the 1<sup>st</sup>  $\frac{1}{2}$  mile level & met. Last  $\frac{1}{2}$  2<sup>nd</sup> rate.



## T99 N. R 7 E. Ind. M. Indiana.

West Corrected between Sec. 21 + 28.

40.00 Set a gr. Sec. post from which  
 an Elm 12 in. diam. bears N 84 E 7 links dist. &  
 a Buck 6 " " " N 33 W 4 " "  
 80.00 To Sec. Corner. May 28. 1828

North Between Sec. 20 + 21.

21.50 Mallow Swamp. 12.00

38.90 An Ash 10 in. diam.

40.00 Set a gr. Sec. post from which  
 a Sycamore 18 in. diam. bears S 48 E 10 links dist. &  
 an Elm 12 " " " S 73 W 18 " "

50.00 A Sycamore 30 " "

80.00 Set a Post Cor. to Sec. 16 17. 20 + 21. from which  
 an Ash 10 in. diam. bears S 62 W 21 links dist. &  
 a Buck 12 " " " N 62 E 6 " "  
 Land one continued surface of water.

East On Random between Sec. 16 + 21.

10.00 Set a Temp. gr. Sec. post

81.00 Intersect the N + S line at Post.  
 Land wet & swampy.

West Corrected between Sec. 16 + 21.

40.50 Set a gr. Sec. post at aver. dist. from which  
 an Ash 20 in. diam. bears S 77 E 13 links dist. &  
 an Elm 5 " " " S 35 W 16 " "

81.00 To Sec. Corner.

North Between Sec. 16 + 17

12.00 A W Oak 36 in. diam.

40.00 Set a gr. Sec. post from which  
 a Buckeye 4 in. diam. bears N 50 E 16 links dist. &  
 a Buck 12 " " " N 30 W 41 " "

49.00 A W Oak 20 " "

50.25 A Brook 8 links wide. Course S W

# T 29 N. R 7 E. 2<sup>nd</sup> Mer. Indiana.

307

80.00 Set a Post Cor. to Sec. 8. 9. 16. & 17 from which  
a Buckeye 18 in. diam. bears N 8 W 9 links dist. &  
a Hickory 8 " " " S 57 W 20 " "  
Land level & met.

East On Random between Sec. 9 & 16.

40.00 Set a Temp<sup>o</sup> of the Post.

67.00 A Spring Branch 4 links wide. Course North.

81.25 Intersect N & S line 23 links North of the Post.  
Land 1<sup>st</sup> 1/2 mile level & poor. last 1/2 rolling & rich.

West Corrected between Sec. 9 & 16.

40.62 Set a q. the Post at aver. dist. from which  
a Walnut 16 in. diam. bears N. 51 E. 14 links dist. &  
an Elm 5 " " " S 78 W 8 " "

81.25 To the Corner. May 29<sup>th</sup> 1828.

North Between Sec. 8 & 9.

20.50 A Birch 20 in. diam.

40.00 Set a q. the Post from which  
a Beech 24 in. diam. bears N. 76 E. 17 links dist. &  
an Chenwood 8 " " " N. 72 W. 18 " "

80.00 Set a Post Cor. to Sec. 4. 5. 8 & 9 from which  
an Elm 6 in. diam. bears N 50 E 12 links dist. &  
a Hickory 12 " " " N 81 W 28 " "  
Land 2<sup>nd</sup> rate.

East On Random between Sec. 4 & 9.

33.65 To Swamp Creek 33 links wide. Course N. W.

40.00 Set a Temp<sup>o</sup> of the Post.

80.85 Intersect N & S. line 47 links E. of the Post.

Land level & good soil, 2<sup>nd</sup> rate. Timber.  
Beech. Sugar. Poplar. Oak. Ash. &c. Undergrowth  
Spice. Dogwood & Chenwood.

West Corrected between Sec. 4 & 9.

T. G. A. R. 7. E. 2<sup>nd</sup> Mer. Indiana

40 42<sup>1</sup>/<sub>2</sub> Set a gr. Sec. post at aver. dist. from which  
 a Beech 18 in. diam. bears N 47 W 12 links dist. &  
 an Elmwood 4 in. " " S 66 W 9 " "  
 80. 85 To Sec. Corner.

North Between Sec. 4 & 5.

12. 90 An Elm 15 in. diam.

30 25 To Swamp Creek 30 links wide. Course N. W.

40. 00 Set a gr. Sec. post from which  
 a Beech 11 in. diam. bears N 82 E 19 links dist. &  
 a Do 14 " " " S 17 E 24 " "

42. 80 A Brook 10 links wide. Course S. W.

50. 82 A Sugar 14 in. diam.

79. 25 Intersect North El. River where made Corner to  
 Sec. 4 & 5 from which a  
 Hackberry 18 in. diam. bears S. 47 E. 47 lks. dist. &  
 a Willow 8 " " " S. 88 W. 62 " "  
 Land rolling and 2<sup>nd</sup> rate.

North Between Sec. 31 & 32

38 73 A Maple 12 in. diam.

40 00 Set a gr. Sec. post from which  
 an Elm 30 in. diam. bears S. 57 W. 5 links dist. &  
 a Beech 10 " " " N. 27 W. 10 " "

42 00 Willow Swamp 16<sup>00</sup> links wide.

80. 00 Set a Post Cor. to Sec. 29 30. 31 & 32 from which  
 a W. Oak 48 in. diam. bears S 56 W 14 links dist. &  
 a Do 30 " " " N 40 E 5 " "  
 Land level and swampy.

East On Ransom between Sec. 29 & 32

40. 00 Set a Temp. gr. Sec. post.

80. 00 Intersect the N & S line 1.50 links North of the Post.  
 Land level wet & poor. Timber. Beech. Poplar.  
 Elm. Hickory. Oak. &c. Undergrowth. Spice. Dogwood.  
 Water Beech. Hickory. &c.

Comp.

309

T. 29. A. R. 7. E. 2<sup>nd</sup> Mer. Indiana.

West Connected between Secs 29 & 32.  
 40. 00 Set a g. Sec. post at aver. dist from which  
 a Beech 12 in. diam. bears N. 20 W. 20 links dist &  
 a Do 10 " " " South 14 " "  
 80. 00 To Sec Corner

---

West Between Secs 30 & 31.  
 18. 00 An Ash 12 in. diam.  
 21. 50 A Brook 10 links wide. Course S.E.  
 40. 00 Set a g. Sec. post from which  
 an Ash 10 in. diam. bears East 9 links dist &  
 a Beech 10 " " S. 7 W. 16 " "  
 80. 21 Intersected the West Boundary 2.40 links North of  
 the Post. Set a Post Corner to Secs 30 & 31 from which  
 a Beech 10 in. diam. bears S. 68 W. 23 links dist &  
 a Spruce 8 " " S. 15 E. 3 " "  
 Land level and good 2<sup>nd</sup> rate.

---

North Between Secs 29 & 30  
 1. 30 A B. Oak 40 in. diam.  
 5. 00 A Brook 10 links wide. Course N.W.  
 40. 00 Set a g. Sec. post from which  
 a Hickory 15 in. diam. bears S 15 E 12 links dist and  
 an Elm 5 " " N. 51 E. 17  
 79. 10 An Ash 10 " "  
 80. 00 Set a Post Corner to Secs 19, 20, 29, & 30 from which  
 an Elm 12 in. diam. bears S. 68 W. 18 links dist &  
 a Do 12 " " S. 13 W. 17 " "  
 Land level & net Timber. Beech. Ash. Oak. W. Elm.  
 Hickory. &c. Undergrowth very thick of Spice. Hickory.  
 Elm. Dogwood. Maple. Sugar. Ironwood &c.

---

East On Random between Secs 20 & 29.  
 40. 00 Set a Temp<sup>g</sup> g. Sec. post.  
 80. 00 Intersect N & S line at Post.  
 Land level & net Timber. Beech. Sugar Oak. Ash. &c.



## T 29 N. R 7 E. 2nd Mer. Indiana.

West Corrected between Sec. 20 & 29.  
 40.00 Set a q. Sec. post from which  
 an Ash 12 in. diam. bears N. 44 W. 7 links dist &  
 a Do 4 " " S. 42 E. 13 " "  
 50 00 To Sec. Corner. May 30<sup>th</sup> 1828.

---

West Between Sec. 19 & 30.  
 40.00 Set a q. Sec. post from which  
 a Sycamore 20 in. diam. bears S 11 W 8 links dist &  
 a Do 20 " " N 88 W 5 " "  
 54 00 A Poplar 30 " "  
 60 00 Intersect West Boundary 1.20 links North of the Post.  
 Set a Post Cor. to Sec. 19 & 30 from which  
 a Beech 20 in. diam. bears S 67 E 21 links dist. and  
 a Do 20 " " S 4 W 27 " "  
 Land level 2nd rate with some swamps. Timber,  
 Sugar. Ash. Poplar. Hickory. Oak &c. Very thick  
 Underg<sup>th</sup> of Spice & Ash.

---

North Between Sec. 19 & 20.  
 14 50 A Cotton-wood 35 in. diam.  
 40.00 Set a q. Sec. post from which  
 a Poplar 24 in. diam. bears S. 28 E. 15 links dist. &  
 a Beech 20 " " S. 52 W. 15 " "  
 57 90 A Poplar 24 " "  
 80 00 Set a Post Cor. to Sec. 17 18 19 & 20 from which  
 a B. Oak 12 in. diam. bears South 12 links dist. &  
 a Do 12 " " N. 85 W. 12 " "  
 Land level & wet interspersed with 3rd rate.  
 Timber as before.

---

East On Random between Sec. 17 & 20.  
 40 00 Set a Trumps q. Sec. post  
 55 00 Entered the South side of a swamp which appears  
 to be very extensive to the N. W.  
 80 37 Intersect 16 links South of the Post.

# T. J. R. & Co. Ind. Mer. Indiana

311

Land on the South part. not so swampy. Timber. Beech. Ash. Oak. Hickory. Maple. &c.

West Corrected between Sec. 17 & 20.  
40.18 Set a q. Sec. post at an. dist. from which  
a Maple 18 in. diam. bears N. 40 W. 15 links dist. &  
an Ash 15 " " " S. 59 W. 25 " "  
50.37 To the Corner.

West Between Sec. 18 & 19.  
5.30 A B. Oak 24 in. diam.  
40.00 Set a q. Sec. post from which  
an Ash 7 in. diam. bears N. 36 W. 13 links dist. &  
a Maple 11 " " " N. 59 E. 25 " "  
56.05 A Beech 16 " "  
60.00 Intersect West Boundary 1.45 links North of the  
Post. Set a Post Cor. to Sec. 18 & 19 from which  
a Beech 10 in. diam. bears N. 41 W. 7 links dist. &  
a Do 9 " " " S. 62 E. 12 " "  
Land level & not.

North Between Sec. 17 & 18  
5.00 A W. Oak 20 in. diam.  
40.00 Set a q. Sec. post from which  
a Beech 20 in. diam. bears N. 9 E. 25 links dist. &  
a Do 20 " " " N. 76 W. 40 " "  
52.50 A Brook 8 links wide. Course S W  
63.30 An Ash 20 in. diam.  
80.00 Set a Post Cor. to Sec. 7. 8. 17 & 18 from which  
a Beech 30 in. diam. bears S. 57 W. 12 links dist. &  
a Do 15 " " " N. 78 E. 30 " "  
Land on last 1/4 mile rolling 2<sup>nd</sup> rate.

East Between Sec. 8 & 17 On Random.  
40.00 Set a Temp. q. Sec. post.  
45.00 A Brook 12 links wide. Course N W

T 29 N. R 7 E 2<sup>nd</sup> Mer. Indiana.

79.00 Intersect N & S line at Post.  
Land level & 2<sup>nd</sup> rate. Timber. Buck Oak.  
Poplar Elm. Spice Dogwood &c.

West Between Sec. 8 & 17. Corrected.  
39.50 Set a g. Sec. post at aver. dist. from which  
a Buck 30 in. diam. bears S. 83 W. 17 links dist. &  
a Do 15 " " " S. 16 E. 12 " "  
79.00 To the Corner

West Between Sec. 7 & 18  
7.30 A B. Ash 18 in. diam.  
40.00 Set a g. Sec. post from which  
a Buck 16 in. diam. bears S. 27 W. 10 links dist. &  
a Do 14 " " " N. 3 W. 22 " "  
55.33 An Ash 12 " "  
59.27 Intersect the West Boundary 1.13 links North of  
the Post. where set a Post Cor. to Sec. 7 & 18 from which  
an Elm 18 in. diam. bears N. 33 W. 7 links dist. &  
a Do 18 " " " N. 62 E. 26 " "  
Land 1<sup>3</sup>/<sub>4</sub> mile rolling 2<sup>nd</sup> rate. Last <sup>1</sup>/<sub>2</sub> level & met.  
May 31.<sup>st</sup> 1828.

North Between Sec. 7 & 8  
2.25 A Buck 16 in. diam.  
40.00 Set a g. Sec. post from which  
a Buck 16 in. diam. bears S. 26 E. 16 links dist. &  
a Do 14 " " " N. 10 W. 16 " "  
41.26 A Buck 18 in. diam.  
80.00 Set a Post Corner to Sec. 5. 6. 7. & 8 from which  
an Ironwood 4 in. diam. bears N. 44 E. 7 lks. dist. &  
a Sugar 15 " " " S. 37 W. 26 " "  
Land level & met. Timber. Buck Elm.  
Sycamore &c. Underg<sup>th</sup> Spice Maple &c.

East On Random between Sec. 5 & 8.



313

T 29 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

40 00 Set a Temp. q. Sec. post.  
 80 25 Intersect N & S line 32 links North of the Post.  
 Land level & 2<sup>nd</sup> rate. yet interspersed with some  
 pends. Timber. Beech. Sugar. Elm. Poplar. Elm.  
 Ash. Hickory &c.

West Corrected between Sec. 5 & 8  
 40. 12<sup>1</sup>/<sub>2</sub> Set a q. Sec. post at aver dist, from which  
 a Beech 14 in. diam. bears S 56 W 12 links dist, &  
 a D. 13 " " " N 84 E 8 " "  
 80. 25 To Sec Corner.

West Between Sec. 6 & 7  
 9. 39 An Ash 14 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a Beech 11 in. diam. bears N. 76 E. 18 links dist, &  
 a Hickory 18 " " " N 14 W 22 " "  
 58 45 Intersect West Boundary 1. 64 links North of the Post.  
 Set a Post Cor. to Sec. 6 & 7 from which an  
 Elm 13 in. diam. bears S 76 E 18 links dist, & a  
 W. Oak 18 " " " S 10 W 26 " "  
 Land level & 2<sup>nd</sup> rate.

North Between Sec. 5 & 6  
 36. 33 Intersect Eel River. & set a post Cor. to Sec. 5 & 6  
 from which  
 a W. Oak 14 in. diam. bears S. 28 E. 6 links dist, &  
 a Beech 11 " " " N. 87 W. 17 " "  
 Land level & 2<sup>nd</sup> rate. Timber. Beech. Ash.  
 Oak. Sugar. Elm. &c. The Undergrowth has uniformly  
 been the same throughout this Township, and  
 very close

North Between Sec. 5 & 6 from the old Corner on the  
 Left Bank of Eel River.  
 36. 33. Old Cor on the Left Bank.  
 40 00 Set a q. Sec. post on the right Bank, from which



## T 29 N R 7 E 2nd Mer Indiana

Hackberry 15 in. diam. bears N 59 W 8 links dist &  
 a Hickory 10 " " " S 79 E 14 " "  
 41. 02 A Cherry 20 "  
 78. 38 Intersect the North Boundary 3.75 links West of  
 the Post. Set a Post Cor. to Sec. 5 & 6 from which  
 a W. Oak 8 in. diam. bears N 29 E 12 links dist &  
 a Q 4 " " " S 44 W 33 " "  
 Land rolling. Soil thin. Timber Oak.  
 March 5<sup>th</sup> 1834.

## Meanders of Owl River

Beginning at the corner on the Right Bank and  
 on the Range line between ranges 6 & 7 Thence  
 up stream in Sec. 6 & 7 Thence up stream in  
 Sec. 6. T 29 N R 7 E 2nd Mer. Indiana

## Courses Distances

N 84 E 16.50  
 N 20 E 3.50  
 N 6 W 9.00 opposite a large bar on the right shore  
 N 31 E 7.50  
 N 34 E 15.00  
 N 58 E 7.50  
 S 52 E 7.50  
 S 33 E 10.00  
 S 54 E 9.50  
 S 40 E 5.79 To line of Sec. 5 & 6

S 70 E 10.00 On Sec 5  
 N 82 E 6.50  
 S 75 E 11.50  
 N 37 E 3.50 At 1 chain opposite the mouth of a creek  
 N 7 W 5.50 which flows in on the Left side.  
 N 5 E 13.00  
 N 30 E 12.00  
 N 75 E 12.50  
 S 58 E 7.50

# T 29 N. R 7 E. 2<sup>nd</sup> Mer. Indiana.

315

S 5<sup>th</sup> 7.50

S 5<sup>th</sup> 9.50

S 2<sup>nd</sup> E 0.00

S 8<sup>th</sup> E 3.50

N 7<sup>th</sup> E 6.50

N 3<sup>rd</sup> E 9.50

N 2<sup>nd</sup> E 7.00

N 3<sup>rd</sup> E 16.50

N 5<sup>th</sup> E 14.00 To the Corner on Town line between Towns  
29 & 30. in Range 7 E.  
Apr. 27<sup>th</sup> 1834

Commenced Meandering at the upper Corner on  
Elk River. Thence down stream on the S. side  
S 8<sup>th</sup> W 0.70 Intersect line between Sec. 4 & 5

S 4<sup>th</sup> W 17.50

S 3<sup>rd</sup> W 10.00

S 3<sup>rd</sup> W 9.00

S 5<sup>th</sup> W 0.50

S 8<sup>th</sup> W 14.00

N 4<sup>th</sup> W 7.00

N 1<sup>st</sup> W 7.00

N 4<sup>th</sup> E 5.00

N 3<sup>rd</sup> E 8.00

N 5<sup>th</sup> W 4.00

S 8<sup>th</sup> W 7.00

S 6<sup>th</sup> W 7.00

S 1<sup>st</sup> W 11.00

S 2<sup>nd</sup> E 11.00

S 1<sup>st</sup> W 8.50 At 3.55 Mouth of Swamp Creek 35<sup>th</sup> mile

N 8<sup>th</sup> W 12.00 At 3.75 Upper end of Island

N 8<sup>th</sup> W 4.00 At 1.53 Spring Branch

At 3.50 Lower end of Island

N 8<sup>th</sup> W 8.00

N 5<sup>th</sup> W 2.50 Intersected line of Sec. 5 & 6 at Post.

## T 29 N. R 7 E. 2nd Mer. Indiana.

N 50 W 32.00

S 80 W 4.00 Upper end of Island

S 26 W 10.00

S 56 W 5.00

S 8 W 15.00

S 52 W 4.00

S 68 W 2.00

S 79 W 4.00

N 84 W 4.00

S 82 W 4.50 Opposite a small Island.

N 77 W 1.75 Intersect Post on Range line.

Var. 6° 10' E.

Surveyed by  
John Hendricks  
Dep. Sur.Comp<sup>d</sup>.

T 29 N. R 7 E 2nd Mer. Indiana.

317

Pursuant to a Contract dated Jan<sup>y</sup> 29<sup>th</sup> 1828. with,  
and instructions from Edward Tiffin Surveyor Gen<sup>l</sup>  
of the United States. I have surveyed and subdivi-  
-ided into Sections. Township No 29 North of  
Range No 7 East of the 2nd Mer. Indiana. and  
I Certify that the foregoing are the Correct & true  
Field Notes of the said Survey and subdivisions  
executed as aforesaid  
Certified this 23<sup>d</sup> of July 1828.

John Hendricks  
Dep<sup>y</sup> Surveyor.

I Certify that the foregoing transcripts of the  
Field Notes of Township No 29 North of Range No 7  
East of the 2nd Mer. Indiana. has been compared  
with the original notes in this Office. and found  
to be Correct.

Surveyor General's Office.  
Sep. 26. 1844

William Johnston  
Sur. Gen<sup>l</sup>